

Prusa i3 driver install

For Windows 8.1x64


Part 1

- Press the Win + C keyboard combination to bring up the Charms Bar, then click on the Settings Charm.




Part 1

- We need to head into the Modern Control Panel, so go ahead and click on the Change PC settings link.




Part 1

- When the Control Panel opens, switch over to the “Update & recovery” section.



Part 1

- Then click on the Recovery option on the left hand side.



Part 1

- Once selected, you will see an advanced startup section appear on the right hand side. You will need to click on the “Restart now” button.


Advanced startup

Start up from a device or disc (such as a USB drive or DVD), change Windows startup settings, or restore Windows from a system image. This will restart your PC.

Restart now


Part 1

- Once your Computer has rebooted you will need to choose the Troubleshoot option.




Part 1

- Then head into Advanced options.



Part 1

- Then Startup Settings.



Part 1

- Since we are modifying boot time configuration settings, you will need to restart your Computer one last time.

Restart to change Windows options such as:

- Enable low-resolution video mode
- Enable debugging mode
- Enable boot logging
- Enable Safe Mode
- Disable driver signature enforcement
- Disable early-launch anti-malware protection
- Disable automatic restart on system failure

Restart



Part 1

- Finally, you will be given a list of startup settings that you can change. The one we are looking for is “Disable driver signature enforcement”. To choose the setting, you will need to press the F7 key.

Startup Settings

Press a number to choose from the options below:

Use number keys or functions keys F1-F9.

- 1) Enable debugging
- 2) Enable boot logging
- 3) Enable low-resolution video
- 4) Enable Safe Mode
- 5) Enable Safe Mode with Networking
- 6) Enable Safe Mode with Command Prompt
- 7) Disable driver signature enforcement
- 8) Disable early launch anti-malware protection
- 9) Disable automatic restart after failure

Part 1

- That's all there is to it. Your PC will then reboot and you will be able to install drivers without any error message!

Part 2

- After that U should install drivers “ftdibus.inf” and “ftdiport.inf”. Turn off printer. Reboot PC. Turn on printer and once again install drivers “ftdibus.inf” and “ftdiport.inf”.